

# Analize de laborator independente ale Probiotice FORTE de la Mandimu




Pentru a avea garanția că ceea ce declarăm pe ambalaj corespunde conținutului comprimatului.

## Control dublu al calității

Solicităm certificate de calitate și siguranță pentru materiile prime utilizate de la toți producătorii noștri. Însă acesta nu este totul. Pe lângă obligațiile obișnuite, supunem produsele finale unor teste suplimentare în laboratoare independente și acreditate.

## Ce au confirmat testele de laborator?

 **Conținutul declarat de culturi probiotice (10 miliarde CFU per capsulă) corespunde rezultatelor testării de laborator**

 **Produsul respectă limitele stricte impuse la nivel european privind conținutul de metale grele**

| ELEMENT     | VALOAREA MĂSURATĂ (MG/KG) | LIMITA MAXIMĂ UE (MG/KG) | REZULTAT             |
|-------------|---------------------------|--------------------------|----------------------|
| PLUMB (PB)  | 0,029                     | 3,000                    | ● CU MULT SUB LIMITĂ |
| CADMIU (CD) | < 0,0050                  | 1,000                    | ● NEDETECTAT         |
| MERCUR (HG) | < 0,030                   | 0,100                    | ● NEDETECTAT         |
| ARSEN (AS)  | < 0,10                    | NEDETERMINAT             | ● NEDETECTAT         |
| STANIU (SN) | < 0,10                    | NEDETERMINAT             | ● NEDETECTAT         |

 **Ambalajul nu conține microorganisme dăunătoare**

| MICROORGANISM    | VALOAREA MĂSURATĂ (CFU/G) | REZULTAT     |
|------------------|---------------------------|--------------|
| ESCHERICHIA COLI | < 10                      | ● NEDETECTAT |
| DROJDIE          | < 10                      | ● NEDETECTAT |
| MUCEGAI          | < 10                      | ● NEDETECTAT |

Pe paginile următoare veți găsi toate analizele efectuate de laboratoarele independente și acreditate, din care provine acest rezumat.

# mandimu



## CERTIFICATE OF ANALYSIS

|                     |   |                     |   |
|---------------------|---|---------------------|---|
| <b>Work Order</b>   | : <b>FP2605754-AG</b>                               | <b>Issue Date</b>   | : 30-Mar-2026   |
| <b>Customer</b>     | : <b>VERDON CAPITE s.r.o.</b>                       | <b>Laboratory</b>   | : ALS Czech Republic, s.r.o.                                  |
| <b>Contact</b>      | : Mariana Barlet                                    | <b>Contact</b>      | : F&P Client Service  |
| <b>Address</b>      | : Bělehradská 858/23<br>Vinohrady<br>120 00 Praha 2 | <b>Address</b>      | : Na Harfe 336/9 Prague 9 - Vysocany<br>190 00 Czech Republic |
| <b>E-mail</b>       | : mariana.barlet@mandimu.com                        | <b>E-mail</b>       | : czsupport.food@alsglobal.com                                |
| <b>Telephone</b>    | : ----  | <b>Telephone</b>    | : +420 226 226 998  |
| <b>Project</b>      | : ----  | <b>Page</b>         | : 1 of 2  |
| <b>Order number</b> | : ----  | <b>Date Samples</b> | : 11-Mar-2026   |
|                     |   | <b>Received</b>     |   |
|                     |   | <b>Quote number</b> | : PR2024VERCA-CZ0001<br>(CZ-114-24-0000)                      |
| <b>Site</b>         | : ----  | <b>Date of test</b> | : 12-Mar-2026 - 27-Mar-2026                                   |
| <b>Sampled by</b>   | : zákazník  | <b>QC Level</b>     | : ALS CR Standard Quality Control<br>Schedule                 |

### General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.

The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.

### Responsible for accuracy

Testing Laboratory No. 1163  
Accredited by CAI according to  
CSN EN ISO/IEC 17025:2018

#### Signatories

Eliška Bašťařová

#### Position

Site Manager Food



GMP+ Registered Laboratory-GMP050490

The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

### Sample Information

No. of samples received : 1

Date Samples Received

No. of samples analysed : 1

11-Mar-2026 09:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

| Laboratory sample ID | Client sample ID | Client sampling date / time |
|----------------------|------------------|-----------------------------|
| FP2605754-007        | Probiotika forte | 04-Mar-2026                 |



## Analytical Results

| Sub-Matrix: DIETARY SUPPLEMENT      |            |        |       | Laboratory sample ID |         | Client sampling date / time |      | FP2605754-007 |      | -----  |      | -----  |      |
|-------------------------------------|------------|--------|-------|----------------------|---------|-----------------------------|------|---------------|------|--------|------|--------|------|
|                                     |            |        |       | 04-Mar-2026          |         | ----                        |      | ----          |      | ----   |      | ----   |      |
| Parameter                           | Method     | LOR    | Unit  | Result               | MU      | Result                      | MU   | Result        | MU   | Result | MU   | Result | MU   |
| <b>Microbiological Parameters</b>   |            |        |       |                      |         |                             |      |               |      |        |      |        |      |
| Escherichia coli                    | B-EC1      | 10     | CFU/g | <10                  | ---     | ----                        | ---- | ----          | ---- | ----   | ---- | ----   | ---- |
| Moulds                              | B-YEMOU1   | 10     | CFU/g | <10                  | ---     | ----                        | ---- | ----          | ---- | ----   | ---- | ----   | ---- |
| Yeast                               | B-YEMOU1   | 10     | CFU/g | <10                  | ---     | ----                        | ---- | ----          | ---- | ----   | ---- | ----   | ---- |
| <b>Total Metals / Major Cations</b> |            |        |       |                      |         |                             |      |               |      |        |      |        |      |
| Lead                                | B-METMSDGL | 0.010  | mg/kg | <b>0.029</b>         | ± 20.0% | ----                        | ---- | ----          | ---- | ----   | ---- | ----   | ---- |
| Mercury                             | B-HG-AMADT | 0.030  | mg/kg | <0.030               | ---     | ----                        | ---- | ----          | ---- | ----   | ---- | ----   | ---- |
| Tin                                 | B-METMSDT2 | 0.10   | mg/kg | <0.10                | ---     | ----                        | ---- | ----          | ---- | ----   | ---- | ----   | ---- |
| Cadmium                             | B-METMSDGL | 0.0050 | mg/kg | <0.0050              | ---     | ----                        | ---- | ----          | ---- | ----   | ---- | ----   | ---- |
| Arsenic                             | B-METMSDGL | 0.10   | mg/kg | <0.10                | ---     | ----                        | ---- | ----          | ---- | ----   | ---- | ----   | ---- |

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.  
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

## Brief Method Summaries

| Analytical Methods  | Method Descriptions   |
|---|---|
| <i>Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00</i> |   |
| B-EC1   | CSN ISO 16649-2. Enumeration of beta-glucuronidase-positive Escherichia coli by cultivation.  |
| B-HG-AMADT  | CZ_SOP_D06_09_024 (ČSN 75 7440) Determination of Hg by atomic absorption spectrometry. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.   |
| B-METMSDGL  | CZ_SOP_D06_09_002 (US EPA 200.8, ČSN EN ISO 17294-2, ČSN EN 15111) Determination of elements by mass spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis. |
| B-METMSDT2  | CZ_SOP_D06_09_002 (US EPA 200.8, ČSN EN ISO 17294-2, ČSN EN 15111) Determination of elements by mass spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis. |
| B-YEMOU1  | CSN ISO 21527-1; CSN ISO 21527-2 . Enumeration of yeasts and moulds by cultivation.   |

The symbol "\*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.

The method for calculating of the summation parameters is available on request in the customer service.

**The end of the certificate of analysis**



Owner: AB  
VERDON CAPITE s.r.o.  
B lehradská 858/23  
12000 Praha - Praha 2

Addressee:  
VERDON CAPITE s.r.o.  
B lehradská 858/23  
12000 Praha - Praha 2

Document No.: 45184/26

Page: 1/2

## TEST REPORT No. 040570/26

### Order / Samples identification

Delivered on: 17.4.2026  
Reception No.: 26040570  
Sampling date: 17.4.2026

Analysis(es) carried out on: 20.4.2026 - 30.4.2026

Transportation and storage temperatures of chilled samples did not exceed +4 °C.  
Frozen samples were transported at temperatures below freezing point.

### Samples

Sample No. Description of sample

HP 16215 PROBIOTICS FORTE - 10/27, 25142004

## FOOD HYGIENE DEPARTMENT

### Microbiological examination

|          | Lactobacillus spp.<br>CFU/g | Streptococcus<br>thermophilus<br>CFU/g | Lactobacillus<br>acidophilus<br>CFU/g | Bifidobacteria<br>CFU/g |
|----------|-----------------------------|--|---------------------------------------|-------------------------|
| HP 16215 | 1.2x10 <sup>10</sup>        | 1.5x10 <sup>10</sup>                   | 1.3x10 <sup>8</sup>                   | 1.9x10 <sup>9</sup>     |

### Conclusion:

The total amount of probiotic culture per capsule is 11x10<sup>9</sup> CFU/capsule.

The above listed analytes were examined using the following methods:

| Analyte                    | Accreditation | Identification of the method | Site |
|----------------------------|---------------|------------------------------|------|
| Lactobacillus spp.         | A             | SN 56 0094                   | 1    |
| Streptococcus thermophilus | A             | SN ISO 7889                  | 1    |
| Lactobacillus acidophilus  | A             | SN ISO 20128                 | 1    |
| Bifidobacteria             | A             | SN ISO 29981                 | 1    |

A = under accreditation

Site

<sup>1</sup> Rantí ovská 93/20, Horní Kosov, 586 01 Jihlava

The laboratory shall not be held responsible for sampling and the correctness of the sample-related data provided by the customer. The data listed in the following sections: "Order/samples identification", "Results of testing", "Sample identification and test results"; are data supplied by the customer with the exceptions of the following: the results, method, reception number, sample number, delivery date and analysis date, marking breaching (or preservation) of the official seal of the security bag, and determining the temperature during the transport. The results relate only to the items tested. The results refer only to the samples as they were received. The test report shall be reproduced in its entirety; its parts may not be replicated without the written approval of the accredited test laboratory.


Date of issue: 30.4.2026 Report prepared by: Kružíková Pavla, Ing.

Payment by: INVOICE

For the attention of: 1x VERDON CAPITE s.r.o., B lehradská 858/23, 12000 Praha - Praha 2

Approved:

MVDr. Pavel Barták, Ph.D.  
Head of accredited laboratory,  
Director of SVI Jihlava



.....  
Mgr. Jorika Kejnovská  
Odborný VŠ pracovník

MVDr. Tomáš Brychta  
Head of the Department of food hygiene, Deputy director of SVI Jihlava

----- End of the test report -----